

BILL OF QUANTITIES : SMMEs TOOLS OF TRADE				
	Item/Product	Unit	Unit Price	Total Price
1	<p>Tamping Rammer Petrol Engine Professional Tamping Rammer with built in air filtration system and Loncin 165 engine.</p> <p>Weight: 76Kg</p> <p>Impact Force: 15Kn</p> <p>Stroke: 50-80mm</p> <p>Blows per minute: 680</p> <p>Fuel tank Capacity: 2L</p> <p>Plate Size: 345x285mm</p> <p>Engine: Loncin</p>	1		
2	Petrol blower 30cc Petrol Blower Mulching Vacuum RBV-3000	2		
3	<p>Plate Compactor 150 KG Petrol</p> <p>OUTPUT HP 5.5 HP</p> <p>CENTRIFUGAL FORCE 15 kN</p> <p>BASE PLATE SIZE 500 × 588 mm</p> <p>ADVANCE TRAVEL MAX. (depending on soil) 20 m/min</p> <p>ADVANCE TRAVEL MAX. (depending on asphalt) 23 m/min</p> <p>SURFACE CAPACITY MAX. (depending on soil) 615 m²/h</p> <p>SURFACE CAPACITY MAX. (depending on asphalt) 686 m²/h</p> <p>ENGINE MANUFACTURER Wacker Neuson Engine / Motor WN6</p> <p>DISPLACEMENT 179 cm³</p> <p>ENGINE PERFORMANCE (max.) 4.2 kW rpm 3,600 rpm</p> <p>FUEL CONSUMPTION 1.5 l/h</p> <p>TANK CAPACITY (water) 8.3 l</p> <p>TANK CAPACITY (fuel) 3.6 l</p>	1		

4	<p>Power Trowel 45 Petrol Engine Drive power: 5.5Hp / 4kW (GX160 Honda).</p> <p>Trowelling diameter: 925mm.</p> <p>Trowelling speed: 65 - 155 rpm.</p> <p>Static Handle Model: Width: 995mm. Height: 781mm. Length: 1855mm.</p> <p>Foldable Handle Model: Width: 992mm. Height: 932mm. Length: 2013mm.</p> <p>Weight: 80kg</p>	1		
5	<p>Concrete Mixer 180kg/280L Petrol Engine Capacity: 180kg</p> <p>Load Capacity: 175L</p> <p>Productivity: 4.5m³/h</p> <p>Drum Speed: 20RPM</p> <p>Drum Thickness: 5mm</p> <p>Max Aggregate: 60mm</p> <p>Weight: 580kg</p> <p>Dimensions</p> <p>Operating Length: 2000mm</p> <p>Operating Width: 950mm</p> <p>Operating Height: 1500mm</p> <p>Motor</p> <p>Model: 177F-L</p> <p>Type: 4 Stroke Petrol</p> <p>Rated Output: 5.7kw</p> <p>Rated Motor Speed: 1800RPM</p> <p>Fuel Consumption: 374g/kWh</p> <p>Displacement: 270cc</p>	1		
6	<p>Portable Vibrator Petrol (Hand Held) Engine: Petrol</p> <p>Noise: 102dB</p> <p>Dimensions</p> <p>Length: 3200mm</p> <p>Width: 270mm</p> <p>Height: 360mm</p> <p>Weight: 20kg</p>	1		
7	Fork Digging	9		
8	Spade Digging No.2	9		
9	Steel Rake Garden 16T	9		
10	Wheelbarrow Concrete Steel	11		
11	irrigation system specification	5		
12	Organic fertilizer Pellets 4kg	4		
13	Pressure pump Centrifugal Centre Pump 0.75kw GCP-158+GFLOWC	3		
14	Mesh Galv Weld 50mm x 50mm x 1.8m x 30m LD	8		
15	Fencing Post Heavy Duty 2.4m x 76mm x 1.6mm	10		

16	Fencing Post Stay Heavy Duty 2.4m x 38mm x 1.6mm	1		
17	Gate Driveway Double 1.8m x 3.6m	2		
18	Wire Binding 1.6mm x 5kg (317m)	15		
19	Wire Binding 3.15mm x 5kg (81m)	128		
20	Fencing-K Standard 2.4m	1		
21	Cup SQ BLT&Nut 10 x 90mm Q:100	59		
22	Cement 42.5 N 50kg	143		
23	Garden Hand Cultivator	2		
24	Watering Can Plastic + Rose 5L	2		
25	Pick Head 3kg B/IT	6		
26	Pick Handle Fibreglass	10		
27	Shadecloth 80% per meter	150		
28	Irrigation System (Dragline)	2		
29	<p>15s Intel Core i7 LaptopProduct: HP 15S-fq4008ni Laptop Form factor: Clamshell Processor family: 11th Generation Intel Core i7 Processor model: i7-1195G7 Processor frequency: 2.90 / 5.00 GHz (12 MB cache, 4 cores) Display diagonal: 39.6 cm (15.6") HD type: Full HD Display resolution: 1920 x 1080 pixels Display: Non-touch, micro-edge, anti-glare, 250 nits, 45% NTSC Internal memory: 8 GB 3200 MHz (2 x 4 GB) Internal memory type: DDR4-SDRAM Total storage capacity: 512 GB PCIe NVMe M.2 Storage media: SSD On-board graphics card model: Intel Iris Xe Graphics Operating system installed: Windows 11 Home Product colour: Natural silver Weight: 1.69 kg</p>	1		

30	15s Intel Core i5 Laptop Product: HP 15S-fq4009ni Laptop Product type: Notebook Form factor: Clamshell Processor family: 11th Generation Intel Core i5 Processor model: i5-1155G7 Processor frequency: 2.50 / 4.50 GHz (8 MB cache, 4 cores) Display diagonal: 39.6 cm (15.6") HD type: Full HD Display resolution: 1920 x 1080 pixels Display: Non-touch, micro-edge, anti-glare, 250 nits, 45% NTSC Internal memory: 8 GB 3200 MHz (2 x 4 GB) Internal memory type: DDR4-SDRAM Total storage capacity: 512 GB PCIe NVMe M.2 Storage media: SSD On-board graphics card model: Intel Iris Xe Graphics Operating system installed: Windows 11 Home Product colour: Natural silver Weight: 1.69 kg	2		
31	L 9570CDW 4 IN 1 Colour Laser 179 fnw Multifunction Printer	1		
32	4000D DSLR Twin Lens Camera Kit	1		
33	2-Single Socket Softbox Studio Lighting Kit - Photo Studio Equipment Set	1		
34	Dual 12 Party Speaker	1		
35	165CM Smart UHD TV	1		
36	60 cm Full HD Monitor	1		
37	2,3m Photography Background + 2,3M White Background Cloth + Free Package and Clip	1		
38	Vocal Wireless Microphone	3		
39	Office Chair with arm rest and high back Black	6		
40	Office Desk - Oak	1		
41	Microsoft Office 2019 Home and Business (MAC) - Digital Delivery (Email)	1		
42	7780 13th Gen Intel Core i7-13850HX upto 5.30GHz Processor, 16 GB CAMM DD R5 RAM, 512GB Ultra-Fast NVMe SSD, 17 FHD 1920 x 1080 Anti-glare IPS Display, NVIDIA RTX 2000 8GB Ada GDDR6 Dedicated Workstation Graphics, Windows 11 Professional (64bit)	1		
43	7430 14-inch Core i5-1335U 8GB RAM 512GB SSD 2-in-1 Laptop, Windows 11 Professional	2		
44	External Hard Drive (10 TB, USB 3.0)	4		
45	2m x 1.4m x 1.8m Medium Mobile Freezer with 4 hooks, 1 meat rail 500-750kg	4		
46	cricut mugpress bundle RCTMGP001	1		

47	cricut cc maker 3 60cm(L) x 60cm(W) x 60cm(H)	1		
48	material bundle RCTWT012	1		
49	<p>cricut easy press 3 9x9 9 in x 9 in (22.5 cm x 22.5 cm) size ideal for basic T-shirts, tote bags, pillows, aprons, and more.</p> <p>Connects to Cricut Heat™ app via Bluetooth® connection.</p> <p>Precise temperature control up to 400°F (205°C)</p> <p>Advanced heat plate design with ceramic-coated surface.</p>	1		
50	Catering Ice Business Combo	1		
	- Prime 40kg Ice Machine	1		
	- Catering Steel Table with Mild Steel Legs S/Back	1		
	- Catering Portion Scale	1		
	- Catering Impulse Heatsealer	1		
	- 3kg Ice Bag Printer - Chill Out (1000 PKT)	1		
	- Catering Fridges 1.5 Showcase Freezer	1		
51	<p>1.8m Large Format Printer Maximum Printing Width 1800 mm with 20kg Capacity Rolled Media Feeding System. Bi-Directional Printing Enabled, Printing Speed on 4 Pass Draft Mode is 15 m² /h Printing Speed on 6 Pass Production Mode is 10 m² /h Printing Speed on 8 Pass Quality Mode is 8 m² /h. All Solvent/ECO-Solvent/Water/Sublimation Ink Types Are Suitable (Additional Accessory Needed for UV Ink). Eight UV/Solvent Resist Ink Feeding Tanks with 8 Ink Pipes Feed to Printhead for Easy Ink Swap. Include Free 100ml EPSON Factory Use Liquid for Printhead Daily Maintenance. This Hybrid Printer Design for Many Different Ink Types, and Adapt to Roll-to-Roll and Flatbed Printing (Extra Table Needed). Bulk Ink System Included, with Two Ink Tank Agitation (Mostly for White/Yellow) and Ink Low Level Warning. Automatic Printhead Cleaning Functions Included, Anti Ink-Blocking, Auto Flash and Moisturizing. Automatic Lifting Printhead Ink Capping System, Easy Alignment and Better Printhead Seal Protection. Heavy Duty, Curling Prevention and Width Adjustable Rolled Media Feeding Device. Connect to Computer by 100M Network Cable for Fast and Stable Printing Process. With One EPSON® XP600 Printhead, No RIP Software Nor Inks Included in This Package. Pre-Heat and Post-Heat 2 Stage Heating System with 3 Level Temperature Control. With Integrated Front Dryer and Heater for Additional Printed Media Drying Before Roll-up. Include Rolling Up Device for Media Take-up After Printing. Use Household 220V Electricity, Stand-by Power</p>	1		
52	Digital Design Pocket Cinema Camera 4k	1		
53	Slimline Double-sided Green Screen Banner Wall	1		

54	Camera LENS 18-35 MM F/1.8 DC HSM F	1		
55	GS400II 3 Light Studio Kit	1		
56	SH15 Aluminum Video Tripod with Fluid Head	1		
57	Telescopic Mic Boom Pole	1		
58	Video Mic NTG Hybrid Camera - Mount Directional Microphone	1		
59	Wireless GO II Single-Channel Wireless Mic System	1		
60	Crimping Machine P20	1		
61	Rolling 2 in 1 Tool Box	1		
62	250 G9 15.6 Laptop - Core i5, 8GB RAM, 256 GB SSD, Win 11 Prof (6S7U8EA)	1		
63	MK270 Wireless Keyboard and Mouse Combo - 920-004509	1		
64	Product: HP 15S-fq4008ni Laptop Form factor: Clamshell Processor family: 11th Generation Intel Core i7 Processor model: i7-1195G7 Processor frequency: 2.90 / 5.00 GHz (12 MB cache, 4 cores) Display diagonal: 39.6 cm (15.6") HD type: Full HD Display resolution: 1920 x 1080 pixels Display: Non-touch, micro-edge, anti-glare, 250 nits, 45% NTSC Internal memory: 8 GB 3200 MHz (2 x 4 GB) Internal memory type: DDR4-SDRAM Total storage capacity: 512 GB PCIe NVMe M.2 Storage media: SSD On-board graphics card model: Intel Iris Xe Graphics Operating system installed: Windows 11 Home Product colour: Natural silver Weight: 1.69 kg	1		

65	39 cm 15s Ryzen 5 Laptop Product: HP 15S-fq4009ni Laptop Product type: Notebook Form factor: Clamshell Processor family: 11th Generation Intel Core i5 Processor model: i5-1155G7 Processor frequency: 2.50 / 4.50 GHz (8 MB cache, 4 cores) Display diagonal: 39.6 cm (15.6") HD type: Full HD Display resolution: 1920 x 1080 pixels Display: Non-touch, micro-edge, anti-glare, 250 nits, 45% NTSC Internal memory: 8 GB 3200 MHz (2 x 4 GB) Internal memory type: DDR4-SDRAM Total storage capacity: 512 GB PCIe NVMe M.2 Storage media: SSD On-board graphics card model: Intel Iris Xe Graphics Operating system installed: Windows 11 Home Product colour: Natural silver Weight: 1.69 kg	2		
66	Supply 0.25kw 1450 RPM 220 Volt Foot Mount Motor	1		
67	Generator S-SDG8000STE -Silent Three Phase 8kva with Electric Start	5		
68	63A 3P+2.5KA E/Leakage	1		
69	32A 400 VAC Contractor	1		
70	40A 400 VAC Contractor	1		
71	25A 400 VAC Contractor	1		
72	50A 400 VAC Contractor	1		
73	25A 400 VAC Contractor	5		
74	Delay on timer 400V 6ml	5		
75	Delay on timer 230V 6ml	5		
76	Limit Switch Adjustable Rod T	5		
77	2.5mm GP Wire Red Roll	3		
78	2.5mm GP Wire Green/Yellow Roll	3		
80	1.5mm GP Wire Black Roll	2		
81	1.5mm GP Wire Red Roll	2		
82	1.5mm GP Wire Grey Roll	2		
83	Toolkit Elect + T235H D.M.M	3		
84	Sf 280 Brush Cutter Machines added	2		
85	Petrol Blower	2		
86	16 litres Knap Sack Spray	2		
87	12 litres Knap Sack Spray	1		
88	Shovels	6		
89	Plastic Rakes	4		
90	Steel Rakes T12	6		
91	Harnesses for Brush Cutter Machine	4		
92	Bow Saw 750mm	4		

93	66cm Large Chain Saws 61cm	1		
94	35cm Small Chain Saw 35cm	1		
95	Long Husky Pruner	2		
96	Ride on lawn Cutter (Petrol)	1		
97	Ride on lawn Cutter (Gas)	1		
98	Brush Cutter Helmets	7		
99	electric Lawn Mower 3000w LS 3048 mulch and catch	2		
100	40L Grease Bucket	1		
101	25L Two Stroke oil	1		
102	Cutting String	5		
103	Large Spanner	2		
104	100mm x30m Garden Hose Pipe	6		
105	20L Weed Killer	3		
106	Picking Sticks	4		
107	Super Deluxe Broom with Stick	4		
108	Garden Fiberglass Pick	1		
109	Garden Gloves	20		
110	6m Step Ladder Aluminium	1		
111	Two Piece Overall PPE Sizes (6x117,4x112 and 4x107)BLUE	14		
112	Refuse Plastic Bags Heavy Duty	7		
113	Safety Boots (Size 9x1, Size 8 x 2, Size 6 x 2, Size 7 x 2)	7		
114	Box of Safety Glasses	1		
115	50m Extension Cord Cable	2		
116	Box of Earplugs (packs of 50)	1		
117	Tiffany Transparent Cushioned Chair	20		
118	39 cm (15.6) x 1515 Intel Core i5 Laptop Product: HP 15-fc0001ni Laptop Product type: Notebook Form factor: Clamshell Processor family: AMD Ryzen 7 Processor model: 7730U (16M Cache, up to 4.50 GHz Processor frequency: 2.0 / 4.50 GHz Display diagonal: 39.6 cm (15.6") HD type: Full HD Display resolution: 1920 x 1080 pixels Display: Non-touch, micro-edge, anti-glare, 250 nits, 45% NTSC Internal memory: 8 GB 3200 MHz (2 x 4 GB) Internal memory type: DDR4-SDRAM Total storage capacity: 512 GB PCIe NVMe M.2 Storage media: SSD On-board graphics card model: AMD Radeon Graphics Operating system installed: Windows 11 Home Product colour: Natural silver Weight: 1.69 kg	5		
119	Industrial 4 Plate Catering Gas Stove with boiling table	2		

120	White Plastic folding Table	8		
121	15kg Full Gas Cylinder (includes Cylinder Plus Gas)	1		
122	Round roll top chafing Dish	2		
123	36L J7 Aluminium Stewpan	2		
124	50L Aluminium Stewpan	2		
125	Total 90cm 5BNR Gas Stove with Electric Oven	1		
126	SQ Tube 75x1.6mm x6m	38		
127	Palisade Econo 1.8x3m	1		
128	Square Tubing 38x38x1.6mm/6m	5		
129	Polcap 100x100x2.00	15		
130	Pick Head CD 3KG	5		
131	Rake 16 Tooth Steel Heavy Duty	3		
132	Palisade Post SQR 76x1.6x2.4m	15		
133	5L Lacquer Thinners	3		
134	Pick Handle Poly	5		
135	Inverter Welding Machine 200 AMP	1		
136	5L Gloss Enamel Burgandy	7		
137	Basin Mixer SABS	3		
138	Angle Grinder 710W GWS 700 Pro	1		
139	Connector Kit Tank to Pump	1		
140	5L Undercoat White	10		
141	6.3kg Hammer Sledge	2		
142	Palisade Econo 1.8x3m	28		
143	150L Geysers B 600KPA	4		
144	Shade Cloth 80% Green (PM)(1M(L)x3M(W))	150		
145	Water storage tank 5250l	3		
146	Razor Wire Flatwrap 500mm x 15m	10		
147	Garden Hose 30m x 20mm +FITT	5		
148	5kg Welding Rod M/Steel 2.5mm	2		
149	Surfix CBL SABS FLT TWNEARTH 1.5MM/100M	3		
150	Impact Drill Keyed Chuck 570w GSB5	1		
151	9m* 15m heavy duty 100% waterproof stretch tent complete with aluminium poles, side pegs, special fittings, rubber domes and bag	2		
152	classic mini1,5x1,5m gazebo with 1 colour printed canvas roof	4		
153	1 Colour canvas printed gazebo wall 1,5m(w)x2m(h)single side print-right side print black wall	4		
154	1Colour canvas printed gazebo wall 1,5m (w)x2m(h)single side print right side wall with zipped sides	4		
155	1 Colour canvas printed gazebo wall 1,5m(w)x2m(h)single side print-left side wall with zipped side+mesh window insert	4		
156	Gazebo mini wall-pi 1 colour printed gazebo wall 1,5m(w)x 2m(h)single side print, front wall with zipped sides+center zipped door way opening	2		

157	Print set up fee gazebo roof and wall prints	1		
158	Artwork layout and design fee	1		
159	4 POS touch PC no peripherals	2		
160	4POS 600MM thermal barcode printer	2		
161	4 POS Cash drawer	2		
162	3 tier letter tray black	2		
163	iron waste paper silver	2		
164	Pencil cup iron mesh silver 90x100mm	2		
165	Glass kitchen scale	2		
166	56L electronic microwave	2		
167	4 in 1 ecotank printer	2		
168	3.5 KVA inverter welding machine	1		

171	Lasser scanner - Print technology: Laser, Printing: Mono printing. - Maximum resolution: 1200 x 1200 DPI. - Copying: Mono copying. - Maximum copy resolution: 600 x 600 DPI. - Scanning: Colour scanning. - Optical scanning resolution: 600 x 600 DPI. - Faxing: Colour faxing, Duplex functions Print. - Maximum ISO A-series paper size: A4. - Standard input capacity: 150 sheets, Standard output capacity: 100 sheets. Wi-Fi	2		
172	Laisure midback chair	2		
173	Arch files	10		
174	MEMO HOLDER iron mesh	2		
175	Home security camera system	2		
176	office work desk cherry	2		
177	4 Drawer cabinet (cherry)IMPACT DESK 3 DRAWER TOP LOCK (1500 X 750	2		
178	Stationery combo	2		
179	Office visitors chair	2		
180	5 Tiers metal shelves250 kg	1		
181	Shower corner entry 900x900	3		
182	PVC pipe110mmUG 6m normal duty	6		
183	Pipe HDPE CLASS 12 25MM P/M	20		
184	Door deep mould white 6 pannel	4		
185	Lintel 150mmx 1,2m	4		
186	Window frameTD678	3		
187	Gas cylinder 15 kg	4		
188	Timber brandering 38x38 6.0m	60		
189	Copper tube15mmx5m.	6		
190	Copper tTee equal cxcxc15mm	10		
191	Copper elbow 90DEG 15MM	50		
192	Comp elbow CxFl 15mm x1/2	3		
193	Lintel 150mm 2.1	4		
194	IBR 6.0m 0.40mm full hard	20		
195	Timber rafter 38x114 6.0m	40		
196	Timber rafter 38x114 8.4m	26		
197	Wire nails 150mmx1kg	5		
198	Wire nails 125mmx1kg	25		
199	Bricks cement blocks (150) p-er pallet	5		
200	Bricks stock (150) p-er pallet	5		
201	Brickforce 2.8mm	10		
202	DB populated 12way surface	2		
203	Norsk cable 1.5mm flat 100mm	2		
204	Norsk cable 2.5mm flat 100mm	1		
205	Party chair (black)	150		
206	Chaffing dish gold round	10		

207	Chaffing dish rectangular gold top window L61cm Xw 35cm H 33cm	5		
208	Chaffing dish rectangular silver top window L61cm Xw 35cm H 33cm	5		
209	Chaffing dish square silver top window	4		
210	Spoon rest double silver square	10		
211	Cutlery table spoon 6pc gold	9		
212	Dinner plates 10.5 diamond pattern	100		
213	Coffe mug 340ml	100		
214	Milk jug 12x8x11cm	5		
215	Remekin 11x5cm 35 · Ramekin, HENDI, ø70x(H)35mm	5		
216	Glass table gold 140x80x75	10		
217	Gazebo 3mx6m red BQ	1		
218	Pot set jumbo 8pc 50cm- 50L	1		
219	Exclusive office desk (cherry)	1		
220	l6550 printer	1		
221	Fitting for 1/4 sae MGC021	1		
222	Water storage tank 5250l	4		
223	Shower corner entry 900x900	3		
224	Bathroom 4pc set white cc	3		
225	Gyser 150l Heat Tech Trendline	2		
226	Pipe pvc 110mm UG 6m Norm duty	5		
227	Pipe HDPE CLASS 12 25MM P/M	20		
228	Sink s/steel 1200x 480 sit on	1		
229	Lintel 150 mm 3.6m	4		
230	Door Deepmould white 6panel	4		
231	Lintel 150mm 1.2m	4		
233	Gas cylinder 9kg	4		
234	Timber Brandering 38x38 6.0m	60		
235	Copper tube 15mmx5 .5m SABc	6		
236	Copper Tee Equal cxcxc15mm50	10		
237	Copper Elbowcxf1 90 Deg 15m	50		
238	Comp elbow CxFl 15mm x1/2	3		
239	Lintel 150mm2.1m	4		
240	IBR 6.0m 0.40mm full hard roof sheet	20		
241	Timber after 38x114 6.0m	40		
242	Timber Rafter area 38x1144.8	26		
243	Wire Nails 125mmx1kg	5		
244	Wire nails 125mmx1kg	25		
245	bricks cement blocks (150) p-er pallet	5		
246	Brick stock pallet viva 5% breakages Allo	5		
247	Brick force 2.8mmx75mmSABS	10		

248	<p>DB populated 12way surface 12-way Distribution Board ideal for installation in small home, granny flat, garage or office.</p> <p>Pre-Populated Board Includes:</p> <p>1 x PVC Distribution board with opaque door</p> <p>1 x Double Pole 63A Main Isolator</p> <p>1 x Double Pole 63A Earth Leakage (No overload)</p> <p>2 x Single Pole 10A Miniature Circuit Breaker (light circuits)</p> <p>3 x Single Pole 20A Miniature Circuit Breaker (plug circuits)</p> <p>1 x Single Pole 32A Miniature Circuit Breaker (stove/geyser)</p> <p>1 x Busbar, Neutral bar and Earth bar</p>	2		
249	<p>Norsk cable 1.5mm flat 100m 1.5mm Twin & Earth Flat Cable 100m</p> <p>Copper conductors to SANS 1411 Part 1, PVC insulated to SANS 1411 Part 2, laid up with a bare copper earth-continuity-conductor between them, UV stable PVC sheathed to SANS 1411 Part 2</p> <p>Specifications : : SANS 1507-2</p> <p>Temperature Range: -10 degrees Celsius to 70degrees Celsius</p> <p>Voltage Rating: 300/500V</p> <p>Maximum Amp: 23A</p> <p>Sheath Identification: White, Black</p> <p>Core Identification: 2 Core - Red and black</p> <p>Packaging: 100mt shrink-wrapped coils</p>	2		
250	<p>Norsk cable 2.5 mm flat 100mCopper conductors to SANS 1411 Part 1, PVC insulated to SANS 1411 Part 2, laid up with a bare copper earth-continuity-conductor between them, UV stable PVC sheathed to SANS 1411 Part 2</p> <p>Specifications : : SANS 1507-2</p> <p>Temperature Range: -10 Degree Celcius to 70 Degree Celcius</p> <p>Voltage Rating: 300/500V</p> <p>Maximum Amp:23A</p> <p>Sheath Identification: White, Black</p> <p>Core Identification:2 Core - Red and black</p> <p>Packaging: 100mt shrink-wrapped coils</p>	1		
251	CRICUT Materials Bundle RCTW012 (each)	1		
				Sub-total
				Vat@15%
				Total

